



TRAKTORSKA FREZA BOMET (POLJSKA)

Bomet®



MODEL	Radni zahvat	Broj rotora	Broj noževa	Težina	Snaga traktora
U540/3	1,4 m	6 kom	6	320 kg	30 kW / 40 KS
U540	1,6 m	7 kom	6	345 kg	35 kW / 47 KS
U540/1	1,8 m	8 kom	6	365 kg	40 kW / 54 KS
U540/2	2,0 m	9 kom	6	400 kg	55 kW / 75 KS



**TRAKTORSKA FREZA HIDRAULIČNA
BOMET
(POLJSKA)**

Bomet®



MODEL	Radni zahvat	Broj rotora	Broj noževa	Težina	Snaga traktora
U540/3H	1,4 m	6 kom	6	380 kg	30 kW / 41 KS
U540H	1,6 m	7 kom	6	405 kg	35 kW / 48 KS
U540/1H	1,8 m	8 kom	6	425 kg	45 kW / 61 KS
U540/2H	2,0 m	9 kom	6	460 kg	55 kW / 75 KS



**DVOREDNA SADILICA KRUMPIRA
BOMET
(POLJSKA)**

Bomet®



MODEL	Širina reda	Kapacitet spremnika	Težina	Snaga
S239	625 - 675 mm	180 kg	210 kg	28 kW / 38 KS
S239/1	700 - 750 mm	300 kg	220 kg	32 kW / 43 KS



**DISKASTE TANJURAČE, 2 VALJKA
BOMET
(POLJSKA)**

Bomet®



MODEL	Radni zahvat	Radna dubina	Broj odjeljaka	Broj diskova po odjeljku	Težina	Snaga traktora
U363	1,5 m	80 - 150 mm	2	7	350 kg	28 kW / 38 KS
U363/1	1,8 m			8	370 kg	35 kW / 48 KS
U363/3	2,0 m			9	420 kg	40 kW / 55 KS
U363/4	2,1 m			10	555 kg	43 kW / 58 KS
U363/7	2,4 m			11	580 kg	48 kW / 65 KS
U363/2	2,7 m			12	620 kg	54 kW / 73 KS

Promjer diskova 510 ili 560 mm

Promjer valjka 320 mm



**DISKASTE TANJURAČE, 4 VALJKA
BOMET
(POLJSKA)**

Bomet®



MODEL	Radni zahvat	Radna dubina	Broj odjeljaka	Broj diskova po odjeljku	Težina	Snaga traktora
U363/5	2,7 m	80 - 150 mm	4	6	665 kg	54 kW / 73 KS
U363/6	3,15 m			7	675 kg	65 kW / 88 KS

Promjer diskova 510 ili 560 mm

Promjer valjka 320 mm